

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
20	47	14	1	0.6	26.5	-	25700	22600	13000	16000	NU204ET	
20	47	14	1	0.6	26.5	-	25700	22600	13000	16000	NJ204ET	
20	47	14	1	0.6	26.5	-	25700	22600	13000	16000	NUP204ET	
20	47	14	1	0.6	-	40	15400	12700	15000	18000	N204	
20	47	14	1	0.6	-	40	15400	12700	15000	18000	NF204	
20	47	18	1	0.6	27	-	20700	18400	13000	16000	NU2204	
20	47	18	1	0.6	26.5	-	30500	28300	13000	16000	NU2204ET	
20	47	18	1	0.6	27	-	20700	18400	13000	16000	NJ2204	
20	47	18	1	0.6	26.5	-	30500	28300	13000	16000	NJ2204ET	
20	47	18	1	0.6	26.5	-	30500	28300	13000	16000	NUP2204ET	
20	52	15	1.1	0.6	27.5	-	31500	26900	12000	15000	NU304ET	
20	52	15	1.1	0.6	27.5	-	31500	26900	12000	15000	NJ304ET	
20	52	15	1.1	0.6	27.5	-	31500	26900	12000	15000	NUP304ET	
20	52	15	1.1	0.6	-	44.5	21400	17300	12000	15000	N304	
20	52	15	1.1	0.6	-	44.5	21400	17300	12000	15000	NF304	
20	52	21	1.1	0.6	28.5	-	30500	27200	11000	14000	NU2304	
20	52	21	1.1	0.6	27.5	-	42000	39000	11000	14000	NU2304ET	
20	52	21	1.1	0.6	28.5	-	30500	27200	11000	14000	NJ2304	
20	52	21	1.1	0.6	27.5	-	42000	39000	11000	14000	NJ2304ET	
20	52	21	1.1	0.6	28.5	-	30500	27200	11000	14000	NUP2304	
20	52	21	1.1	0.6	27.5	-	42000	39000	11000	14000	NUP2304ET	
25	47	12	0.6	0.3	30.5	-	14300	13100	15000	18000	NU1005	
25	52	15	1	0.6	31.5	-	29300	27700	12000	14000	NU205EW	
25	52	15	1	0.6	31.5	-	29300	27700	12000	14000	NJ205EW	
25	52	15	1	0.6	31.5	-	29300	27700	12000	14000	NUP205EW	
25	52	15	1	0.6	-	45	17700	15700	13000	16000	N205	
25	52	15	1	0.6	-	45	17700	15700	13000	16000	NF205	
25	52	18	1	0.6	32	-	23700	22800	12000	14000	NU2205	
25	52	18	1	0.6	31.5	-	35000	34500	12000	14000	NU2205ET	
25	52	18	1	0.6	32	-	23700	22800	12000	14000	NJ2205	
25	52	18	1	0.6	31.5	-	35000	34500	12000	14000	NJ2205ET	
25	52	18	1	0.6	32	-	23700	22800	12000	14000	NUP2205	
25	52	18	1	0.6	31.5	-	35000	34500	12000	14000	NUP2205ET	
25	62	17	1.1	1.1	34	-	41500	37500	10000	12000	NU305EW	
25	62	17	1.1	1.1	34	-	41500	37500	10000	12000	NJ305EW	
25	62	17	1.1	1.1	34	-	41500	37500	10000	12000	NUP305EW	
25	62	17	1.1	1.1	-	53	29300	25200	10000	13000	N305	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
25	62	17	1.1	1.1	-	53	29300	25200	10000	13000	NF305	
25	62	24	1.1	1.1	35	-	42500	41000	9000	11000	NU2305	
25	62	24	1.1	1.1	34	-	57000	56000	9000	11000	NU2305E T	
25	62	24	1.1	1.1	35	-	42500	41000	9000	11000	NJ2305	
25	62	24	1.1	1.1	34	-	57000	56000	9000	11000	NJ2305E T	
25	62	24	1.1	1.1	35	-	42500	41000	9000	11000	NUP2305	
25	62	24	1.1	1.1	34	-	57000	56000	9000	11000	NUP2305 ET	
25	80	21	1.5	1.5	38.8	62.8	46500	40000	9000	11000	NU405	
25	80	21	1.5	1.5	38.8	62.8	46500	40000	9000	11000	NJ405	
25	80	21	1.5	1.5	38.8	62.8	46500	40000	9000	11000	N405	
25	80	21	1.5	1.5	38.8	62.8	46500	40000	9000	11000	NF405	
30	55	13	1	0.6	36.5	48.5	19700	19600	12000	15000	NU1006	
30	55	13	1	0.6	36.5	48.5	19700	19600	12000	15000	N1006	
30	62	16	1	0.6	37.5	-	39000	37500	9500	12000	NU206E W	
30	62	16	1	0.6	37.5	-	39000	37500	9500	12000	NJ206EW	
30	62	16	1	0.6	37.5	-	39000	37500	9500	12000	NUP206E W	
30	62	16	1	0.6	-	53.5	24900	23300	11000	13000	N206	
30	62	16	1	0.6	-	53.5	24900	23300	11000	13000	NF206	
30	62	20	1	0.6	38.5	-	33000	33000	10000	12000	NU2206	
30	62	20	1	0.6	37.5	-	49000	50000	9500	12000	NU2206E T	
30	62	20	1	0.6	38.5	-	33000	33000	10000	12000	NJ2206	
30	62	20	1	0.6	37.5	-	49000	50000	9500	12000	NJ2206E T	
30	62	20	1	0.6	38.5	-	33000	33000	10000	12000	NUP2206	
30	62	20	1	0.6	37.5	-	49000	50000	9500	12000	NUP2206 ET	
30	72	19	1.1	1.1	40.5	-	53000	50000	8500	10000	NU306E W	
30	72	19	1.1	1.1	40.5	-	53000	50000	8500	10000	NJ306EW	
30	72	19	1.1	1.1	40.5	-	53000	50000	8500	10000	NUP306E W	
30	72	19	1.1	1.1	-	62	38500	35000	8500	11000	N306	
30	72	19	1.1	1.1	-	62	38500	35000	8500	11000	NF306	
30	72	27	1.1	1.1	42	-	51500	51000	7500	9500	NU2306	
30	72	27	1.1	1.1	40.5	-	74500	77500	8000	9500	NU2306E T	
30	72	27	1.1	1.1	42	-	51500	51000	7500	9500	NJ2306	
30	72	27	1.1	1.1	40.5	-	74500	77500	8000	9500	NJ2306E T	
30	72	27	1.1	1.1	42	-	51500	51000	7500	9500	NUP2306	
30	72	27	1.1	1.1	40.5	-	74500	77500	8000	9500	NUP2306 ET	
30	90	23	1.5	1.5	45	73	62500	55000	7500	9500	NU406	
30	90	23	1.5	1.5	45	73	62500	55000	7500	9500	NJ406	
30	90	23	1.5	1.5	45	73	62500	55000	7500	9500	N406	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
30	90	23	1.5	1.5	45	73	62500	55000	7500	9500	NF406	
35	62	14	1	0.6	42	55	22600	23200	11000	13000	NU1007	
35	62	14	1	0.6	42	55	22600	23200	11000	13000	NJ1007	
35	62	14	1	0.6	42	55	22600	23200	11000	13000	N1007	
35	72	17	1.1	0.6	44	-	50500	50000	8500	10000	NU207E W	
35	72	17	1.1	0.6	44	-	50500	50000	8500	10000	NJ207EW	
35	72	17	1.1	0.6	44	-	50500	50000	8500	10000	NUP207E W	
35	72	17	1.1	0.6	-	61.8	35500	34000	9500	11000	N207	
35	72	17	1.1	0.6	-	61.8	35500	34000	9500	11000	NF207	
35	72	23	1.1	0.6	43.8	-	49000	51000	8500	10000	NU2207	
35	72	23	1.1	0.6	44	-	61500	65000	8500	10000	NU2207E T	
35	72	23	1.1	0.6	43.8	-	49000	51000	8500	10000	NJ2207	
35	72	23	1.1	0.6	44	-	61500	65000	8500	10000	NJ2207E T	
35	72	23	1.1	0.6	43.8	-	49000	51000	8500	10000	NUP2207	
35	72	23	1.1	0.6	44	-	61500	65000	8500	10000	NUP2207 ET	
35	80	21	1.5	1.1	46.2	-	66500	65500	7500	9500	NU307E W	
35	80	21	1.5	1.1	46.2	-	66500	65500	7500	9500	NJ307EW	
35	80	21	1.5	1.1	46.2	-	66500	65500	7500	9500	NUP307E W	
35	80	21	1.5	1.1	-	68.2	49500	47000	8000	9500	N307	
35	80	21	1.5	1.1	-	68.2	49500	47000	8000	9500	NF307	
35	80	31	1.5	1.1	46.2	-	60500	60000	7100	8500	NU2307	
35	80	31	1.5	1.1	46.2	-	93000	101000	6700	8500	NU2307E T	
35	80	31	1.5	1.1	46.2	-	60500	60000	7100	8500	NJ2307	
35	80	31	1.5	1.1	46.2	-	93000	101000	6700	8500	NJ2307E T	
35	80	31	1.5	1.1	46.2	-	60500	60000	7100	8500	NUP2307	
35	80	31	1.5	1.1	46.2	-	93000	101000	6700	8500	NUP2307 ET	
35	100	25	1.5	1.5	53	83	75500	69000	6700	8000	NU407	
35	100	25	1.5	1.5	53	83	75500	69000	6700	8000	NJ407	
35	100	25	1.5	1.5	53	83	75500	69000	6700	8000	N407	
35	100	25	1.5	1.5	53	83	75500	69000	6700	8000	NF407	
40	68	15	1	0.6	47	61	27300	29000	10000	12000	NU1008	
40	68	15	1	0.6	47	61	27300	29000	10000	12000	NJ1008	
40	68	15	1	0.6	47	61	27300	29000	10000	12000	NUP1008	
40	68	15	1	0.6	47	61	27300	29000	10000	12000	N1008	
40	80	18	1.1	1.1	49.5	-	55500	55500	7500	9000	NU208E W	
40	80	18	1.1	1.1	49.5	-	55500	55500	7500	9000	NJ208EW	
40	80	18	1.1	1.1	49.5	-	55500	55500	7500	9000	NUP208E W	
40	80	18	1.1	1.1	-	70	43500	43000	8500	10000	N208	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
40	80	18	1.1	1.1	-	70	43500	43000	8500	10000	NF208	
40	80	23	1.1	1.1	50	-	58000	62000	7500	9000	NU2208	
40	80	23	1.1	1.1	49.5	-	72500	77500	7500	9000	NU2208E T	
40	80	23	1.1	1.1	50	-	58000	62000	7500	9000	NJ2208	
40	80	23	1.1	1.1	49.5	-	72500	77500	7500	9000	NJ2208E T	
40	80	23	1.1	1.1	50	-	58000	62000	7500	9000	NUP2208	
40	80	23	1.1	1.1	49.5	-	72500	77500	7500	9000	NUP2208 ET	
40	90	23	1.5	1.5	52	-	83000	81500	6700	8000	NU308E W	
40	90	23	1.5	1.5	52	-	83000	81500	6700	8000	NJ308EW	
40	90	23	1.5	1.5	52	-	83000	81500	6700	8000	NUP308E W	
40	90	23	1.5	1.5	-	77.5	58500	57000	6700	8500	N308	
40	90	23	1.5	1.5	-	77.5	58500	57000	6700	8500	NF308	
40	90	33	1.5	1.5	53.5	-	82500	88000	6000	7500	NU2308	
40	90	33	1.5	1.5	52	-	114000	122000	6000	7500	NU2308E T	
40	90	33	1.5	1.5	53.5	-	82500	88000	6000	7500	NJ2308	
40	90	33	1.5	1.5	52	-	114000	122000	6000	7500	NJ2308E T	
40	90	33	1.5	1.5	53.5	-	82500	88000	6000	7500	NUP2308	
40	90	33	1.5	1.5	52	-	114000	122000	6000	7500	NUP2308 ET	
40	110	27	2	2	58	92	95500	89000	6000	7500	NU408	
40	110	27	2	2	58	92	95500	89000	6000	7500	NJ408	
40	110	27	2	2	58	92	95500	89000	6000	7500	NUP408	
40	110	27	2	2	58	92	95500	89000	6000	7500	N408	
40	110	27	2	2	58	92	95500	89000	6000	7500	NF408	
45	75	16	1	0.6	52.5	67.5	32500	35500	9000	11000	NU1009	
45	75	16	1	0.6	52.5	67.5	32500	35500	9000	11000	N1009	
45	75	16	1	0.6	52.5	67.5	32500	35500	9000	11000	NF1009	
45	85	19	1.1	1.1	54.5	-	63000	66500	6700	8000	NU209E W	
45	85	19	1.1	1.1	54.5	-	63000	66500	6700	8000	NJ209EW	
45	85	19	1.1	1.1	54.5	-	63000	66500	6700	8000	NUP209E W	
45	85	19	1.1	1.1	-	75	46000	47000	7500	9000	N209	
45	85	19	1.1	1.1	-	75	46000	47000	7500	9000	NF209	
45	85	23	1.1	1.1	55	-	61500	68000	7100	8500	NU2209	
45	85	23	1.1	1.1	54.5	-	76000	84500	6700	8500	NU2209E T	
45	85	23	1.1	1.1	55	-	61500	68000	7100	8500	NJ2209	
45	85	23	1.1	1.1	54.5	-	76000	84500	6700	8500	NJ2209E T	
45	85	23	1.1	1.1	55	-	61500	68000	7100	8500	NUP2209	
45	85	23	1.1	1.1	54.5	-	76000	84500	6700	8500	NUP2209 ET	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
45	100	25	1.5	1.5	58.5	-	97500	98500	6000	7500	NU309E W	
45	100	25	1.5	1.5	58.5	-	97500	98500	6000	7500	NJ309EW	
45	100	25	1.5	1.5	58.5	-	97500	98500	6000	7500	NUP309E W	
45	100	25	1.5	1.5	-	86.5	74000	71000	6300	7500	N309	
45	100	25	1.5	1.5	-	86.5	74000	71000	6300	7500	NF309	
45	100	36	1.5	1.5	58.5	-	99000	104000	5600	6700	NU2309	
45	100	36	1.5	1.5	58.5	-	137000	153000	5300	6700	NU2309E T	
45	100	36	1.5	1.5	58.5	-	99000	104000	5600	6700	NJ2309	
45	100	36	1.5	1.5	58.5	-	137000	153000	5300	6700	NJ2309E T	
45	100	36	1.5	1.5	58.5	-	99000	104000	5600	6700	NUP2309	
45	100	36	1.5	1.5	58.5	-	137000	153000	5300	6700	NUP2309 ET	
45	120	29	2	2	64.5	100.5	107000	102000	5600	6700	NU409	
45	120	29	2	2	64.5	100.5	107000	102000	5600	6700	NJ409	
45	120	29	2	2	64.5	100.5	107000	102000	5600	6700	NUP409	
45	120	29	2	2	64.5	100.5	107000	102000	5600	6700	N409	
45	120	29	2	2	64.5	100.5	107000	102000	5600	6700	NF409	
50	80	16	1	0.6	57.5	72.5	32000	36000	8000	10000	NU1010	
50	80	16	1	0.6	57.5	72.5	32000	36000	8000	10000	NJ1010	
50	80	16	1	0.6	57.5	72.5	32000	36000	8000	10000	NUP1010	
50	80	16	1	0.6	57.5	72.5	32000	36000	8000	10000	N1010	
50	90	20	1.1	1.1	59.5	-	69000	76500	6300	7500	NU210E W	
50	90	20	1.1	1.1	59.5	-	69000	76500	6300	7500	NJ210EW	
50	90	20	1.1	1.1	59.5	-	69000	76500	6300	7500	NUP210E W	
50	90	20	1.1	1.1	-	80.4	48000	51000	7100	8500	N210	
50	90	20	1.1	1.1	-	80.4	48000	51000	7100	8500	NF210	
50	90	23	1.1	1.1	60.4	-	64000	73500	6300	8000	NU2210	
50	90	23	1.1	1.1	59.5	-	83500	97000	6300	8000	NU2210E T	
50	90	23	1.1	1.1	60.4	-	64000	73500	6300	8000	NJ2210	
50	90	23	1.1	1.1	59.5	-	83500	97000	6300	8000	NJ2210E T	
50	90	23	1.1	1.1	60.4	-	64000	73500	6300	8000	NUP2210	
50	90	23	1.1	1.1	59.5	-	83500	97000	6300	8000	NUP2210 ET	
50	110	27	2	2	65	-	110000	113000	5000	6000	NU310E W	
50	110	27	2	2	65	-	110000	113000	5000	6000	NJ310EW	
50	110	27	2	2	65	-	110000	113000	5000	6000	NUP310E W	
50	110	27	2	2	-	95	87000	86000	5600	6700	N310	
50	110	27	2	2	-	95	87000	86000	5600	6700	NF310	
50	110	40	2	2	65	-	121000	131000	5000	6300	NU2310	
50	110	40	2	2	65	-	163000	187000	5000	6300	NU2310E T	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
50	110	40	2	2	65	-	121000	131000	5000	6300	NJ2310	
50	110	40	2	2	65	-	163000	187000	5000	6300	NJ2310E T	
50	110	40	2	2	65	-	121000	131000	5000	6300	NUP2310	
50	110	40	2	2	65	-	163000	187000	5000	6300	NUP2310 ET	
50	130	31	2.1	2.1	70.8	110.8	129000	124000	5000	6000	NU410	
50	130	31	2.1	2.1	70.8	110.8	129000	124000	5000	6000	NJ410	
50	130	31	2.1	2.1	70.8	110.8	129000	124000	5000	6000	NUP410	
50	130	31	2.1	2.1	70.8	110.8	129000	124000	5000	6000	N410	
50	130	31	2.1	2.1	70.8	110.8	129000	124000	5000	6000	NF410	
55	90	18	1.1	1	64.5	80.5	37500	44000	7500	9000	NU1011	
55	90	18	1.1	1	64.5	80.5	37500	44000	7500	9000	NJ1011	
55	90	18	1.1	1	64.5	80.5	37500	44000	7500	9000	N1011	
55	100	21	1.5	1.1	66	-	86500	98500	5600	7100	NU211E W	
55	100	21	1.5	1.1	66	-	86500	98500	5600	7100	NJ211EW	
55	100	21	1.5	1.1	66	-	86500	98500	5600	7100	NUP211E W	
55	100	21	1.5	1.1	-	88.5	58000	62500	6300	7500	N211	
55	100	21	1.5	1.1	-	88.5	58000	62500	6300	7500	NF211	
55	100	25	1.5	1.1	66.5	-	75500	87000	6000	7100	NU2211	
55	100	25	1.5	1.1	66	-	101000	122000	5600	7100	NU2211E T	
55	100	25	1.5	1.1	66.5	-	75500	87000	6000	7100	NJ2211	
55	100	25	1.5	1.1	66	-	101000	122000	5600	7100	NJ2211E T	
55	100	25	1.5	1.1	66.5	-	75500	87000	6000	7100	NUP2211	
55	100	25	1.5	1.1	66	-	101000	122000	5600	7100	NUP2211 ET	
55	120	29	2	2	70.5	-	137000	143000	4500	5600	NU311E W	
55	120	29	2	2	70.5	-	137000	143000	4500	5600	NJ311EW	
55	120	29	2	2	70.5	-	137000	143000	4500	5600	NUP311E W	
55	120	29	2	2	-	104.5	111000	111000	5000	6300	N311	
55	120	29	2	2	-	104.5	111000	111000	5000	6300	NF311	
55	120	43	2	2	70.5	-	148000	162000	4500	5600	NU2311	
55	120	43	2	2	70.5	-	201000	233000	4500	5600	NU2311E T	
55	120	43	2	2	70.5	-	148000	162000	4500	5600	NJ2311	
55	120	43	2	2	70.5	-	201000	233000	4500	5600	NJ2311E T	
55	120	43	2	2	70.5	-	148000	162000	4500	5600	NUP2311	
55	120	43	2	2	70.5	-	201000	233000	4500	5600	NUP2311 ET	
55	140	33	2.1	2.1	77.2	117.2	139000	138000	4500	5600	NU411	
55	140	33	2.1	2.1	77.2	117.2	139000	138000	4500	5600	NJ411	
55	140	33	2.1	2.1	77.2	117.2	139000	138000	4500	5600	NUP411	
55	140	33	2.1	2.1	77.2	117.2	139000	138000	4500	5600	N411	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
55	140	33	2.1	2.1	77.2	117.2	139000	138000	4500	5600	NF411	
60	95	18	1.1	1	69.5	85.5	40000	48500	6700	8500	NU1012	
60	95	18	1.1	1	69.5	85.5	40000	48500	6700	8500	NJ1012	
60	95	18	1.1	1	69.5	85.5	40000	48500	6700	8500	N1012	
60	95	18	1.1	1	69.5	85.5	40000	48500	6700	8500	NF1012	
60	110	22	1.5	1.5	72	-	97500	107000	5300	6300	NU212E W	
60	110	22	1.5	1.5	72	-	97500	107000	5300	6300	NJ212EW	
60	110	22	1.5	1.5	72	-	97500	107000	5300	6300	NUP212E W	
60	110	22	1.5	1.5	-	97.5	68500	75000	6000	7100	N212	
60	110	22	1.5	1.5	-	97.5	68500	75000	6000	7100	NF212	
60	110	28	1.5	1.5	73.5	-	96000	116000	5300	6300	NU2212	
60	110	28	1.5	1.5	72	-	131000	157000	5300	6300	NU2212E T	
60	110	28	1.5	1.5	73.5	-	96000	116000	5300	6300	NJ2212	
60	110	28	1.5	1.5	72	-	131000	157000	5300	6300	NJ2212E T	
60	110	28	1.5	1.5	73.5	-	96000	116000	5300	6300	NUP2212	
60	110	28	1.5	1.5	72	-	131000	157000	5300	6300	NUP2212 ET	
60	130	31	2.1	2.1	77	-	124000	126000	4800	5600	NU312	
60	130	31	2.1	2.1	77	-	150000	157000	4800	5600	NU312E M	
60	130	31	2.1	2.1	77	-	124000	126000	4800	5600	NJ312	
60	130	31	2.1	2.1	77	-	150000	157000	4800	5600	NJ312EM	
60	130	31	2.1	2.1	77	-	124000	126000	4800	5600	NUP312	
60	130	31	2.1	2.1	77	-	150000	157000	4800	5600	NUP312E M	
60	130	31	2.1	2.1	-	113	124000	126000	4800	5600	N312	
60	130	31	2.1	2.1	-	113	124000	126000	4800	5600	NF312	
60	130	46	2.1	2.1	77	-	169000	188000	4300	5300	NU2312	
60	130	46	2.1	2.1	77	-	222000	262000	4300	5300	NU2312E T	
60	130	46	2.1	2.1	77	-	169000	188000	4300	5300	NJ2312	
60	130	46	2.1	2.1	77	-	222000	262000	4300	5300	NJ2312E T	
60	130	46	2.1	2.1	77	-	169000	188000	4300	5300	NUP2312	
60	130	46	2.1	2.1	77	-	222000	262000	4300	5300	NUP2312 ET	
60	150	35	2.1	2.1	83	127	167000	168000	4300	5300	NU412	
60	150	35	2.1	2.1	83	127	167000	168000	4300	5300	NJ412	
60	150	35	2.1	2.1	83	127	167000	168000	4300	5300	NUP412	
60	150	35	2.1	2.1	83	127	167000	168000	4300	5300	N412	
60	150	35	2.1	2.1	83	127	167000	168000	4300	5300	NF412	
65	100	18	1.1	1	74.5	90.5	41000	51000	6300	8000	NU1013	
65	100	18	1.1	1	74.5	90.5	41000	51000	6300	8000	NJ1013	
65	100	18	1.1	1	74.5	90.5	41000	51000	6300	8000	N1013	
65	100	18	1.1	1	74.5	90.5	41000	51000	6300	8000	NF1013	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
65	120	23	1.5	1.5	78.5	-	108000	119000	4800	5600	NU213E W	
65	120	23	1.5	1.5	78.5	-	108000	119000	4800	5600	NJ213EW	
65	120	23	1.5	1.5	78.5	-	108000	119000	4800	5600	NUP213E W	
65	120	23	1.5	1.5	-	105.6	84000	94500	5300	6300	N213	
65	120	23	1.5	1.5	-	105.6	84000	94500	5300	6300	NF213	
65	120	31	1.5	1.5	79.6	-	120000	149000	4800	6000	NU2213	
65	120	31	1.5	1.5	78.5	-	149000	181000	4800	6000	NU2213E T	
65	120	31	1.5	1.5	79.6	-	120000	149000	4800	6000	NJ2213	
65	120	31	1.5	1.5	78.5	-	149000	181000	4800	6000	NJ2213E T	
65	120	31	1.5	1.5	79.6	-	120000	149000	4800	6000	NUP2213	
65	120	31	1.5	1.5	78.5	-	149000	181000	4800	6000	NUP2213 ET	
65	140	33	2.1	2.1	83.5	-	135000	139000	4300	5300	NU313	
65	140	33	2.1	2.1	82.5	-	181000	191000	4300	5300	NU313E M	
65	140	33	2.1	2.1	83.5	-	135000	139000	4300	5300	NJ313	
65	140	33	2.1	2.1	82.5	-	181000	191000	4300	5300	NJ313EM	
65	140	33	2.1	2.1	83.5	-	135000	139000	4300	5300	NUP313	
65	140	33	2.1	2.1	82.5	-	181000	191000	4300	5300	NUP313E M	
65	140	33	2.1	2.1	-	121.5	135000	139000	4300	5300	N313	
65	140	33	2.1	2.1	-	121.5	135000	139000	4300	5300	NF313	
65	140	48	2.1	2.1	83.5	-	188000	212000	3800	4800	NU2313	
65	140	48	2.1	2.1	82.5	-	233000	265000	3800	4800	NU2313E T	
65	140	48	2.1	2.1	83.5	-	188000	212000	3800	4800	NJ2313	
65	140	48	2.1	2.1	82.5	-	233000	265000	3800	4800	NJ2313E T	
65	140	48	2.1	2.1	83.5	-	188000	212000	3800	4800	NUP2313	
65	140	48	2.1	2.1	82.5	-	233000	265000	3800	4800	NUP2313 ET	
65	160	37	2.1	2.1	89.3	135.3	182000	186000	4000	4800	NU413	
65	160	37	2.1	2.1	89.3	135.3	182000	186000	4000	4800	NJ413	
65	160	37	2.1	2.1	89.3	135.3	182000	186000	4000	4800	N413	
65	160	37	2.1	2.1	89.3	135.3	182000	186000	4000	4800	NF413	
70	110	20	1.1	1	80	100	58500	70500	6000	7100	NU1014	
70	110	20	1.1	1	80	100	58500	70500	6000	7100	NJ1014	
70	110	20	1.1	1	80	100	58500	70500	6000	7100	NUP1014	
70	110	20	1.1	1	80	100	58500	70500	6000	7100	N1014	
70	110	20	1.1	1	80	100	58500	70500	6000	7100	NF1014	
70	125	24	1.5	1.5	83.5	-	119000	137000	5000	6300	NU214E M	
70	125	24	1.5	1.5	83.5	-	119000	137000	5000	6300	NJ214EM	
70	125	24	1.5	1.5	83.5	-	119000	137000	5000	6300	NUP214E M	
70	125	24	1.5	1.5	-	110.5	83500	95000	5000	6300	N214	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
70	125	24	1.5	1.5	-	110.5	83500	95000	5000	6300	NF214	
70	125	31	1.5	1.5	84.5	-	119000	151000	4500	5600	NU2214	
70	125	31	1.5	1.5	83.5	-	156000	194000	4500	5600	NU2214E T	
70	125	31	1.5	1.5	84.5	-	119000	151000	4500	5600	NJ2214	
70	125	31	1.5	1.5	83.5	-	119000	151000	4500	5600	NJ2214E T	
70	125	31	1.5	1.5	84.5	-	119000	151000	4500	5600	NUP2214	
70	125	31	1.5	1.5	83.5	-	119000	151000	4500	5600	NUP2214 ET	
70	150	35	2.1	2.1	90	-	158000	168000	4000	5000	NU314	
70	150	35	2.1	2.1	89	-	205000	222000	4000	5000	NU314E M	
70	150	35	2.1	2.1	90	-	158000	168000	4000	5000	NJ314	
70	150	35	2.1	2.1	89	-	205000	222000	4000	5000	NJ314EM	
70	150	35	2.1	2.1	90	-	158000	168000	4000	5000	NUP314	
70	150	35	2.1	2.1	89	-	205000	222000	4000	5000	NUP314E M	
70	150	35	2.1	2.1	-	130	158000	168000	4000	5000	N314	
70	150	35	2.1	2.1	-	130	158000	168000	4000	5000	NF314	
70	150	51	2.1	2.1	90	-	223000	262000	3600	4500	NU2314	
70	150	51	2.1	2.1	89	-	274000	325000	3600	4500	NU2314E T	
70	150	51	2.1	2.1	90	-	223000	262000	3600	4500	NJ2314	
70	150	51	2.1	2.1	89	-	274000	325000	3600	4500	NJ2314E T	
70	150	51	2.1	2.1	90	-	223000	262000	3600	4500	NUP2314	
70	150	51	2.1	2.1	89	-	274000	325000	3600	4500	NUP2314 ET	
70	180	42	3	3	100	152	228000	236000	3600	4300	NU414	
70	180	42	3	3	100	152	228000	236000	3600	4300	NJ414	
70	180	42	3	3	100	152	228000	236000	3600	4300	NUP414	
70	180	42	3	3	100	152	228000	236000	3600	4300	N414	
70	180	42	3	3	100	152	228000	236000	3600	4300	NF414	
75	115	20	1.1	1	85	105	60000	74500	5600	6700	NU1015	
75	115	20	1.1	1	85	105	60000	74500	5600	6700	N1015	
75	115	20	1.1	1	85	105	60000	74500	5600	6700	NF1015	
75	130	25	1.5	1.5	88.5	-	130000	156000	4800	6000	NU215E M	
75	130	25	1.5	1.5	88.5	-	130000	156000	4800	6000	NJ215EM	
75	130	25	1.5	1.5	88.5	-	130000	156000	4800	6000	NUP215E M	
75	130	25	1.5	1.5	-	116.5	96500	111000	4800	6000	N215	
75	130	25	1.5	1.5	-	116.5	96500	111000	4800	6000	NF215	
75	130	31	1.5	1.5	88.5	-	130000	162000	4300	5300	NU2215	
75	130	31	1.5	1.5	88.5	-	162000	207000	4300	5300	NU2215E T	
75	130	31	1.5	1.5	88.5	-	130000	162000	4300	5300	NJ2215	
75	130	31	1.5	1.5	88.5	-	162000	207000	4300	5300	NJ2215E T	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
75	130	31	1.5	1.5	88.5	-	130000	162000	4300	5300	NUP2215	
75	130	31	1.5	1.5	88.5	-	162000	207000	4300	5300	NUP2215 ET	
75	160	37	2.1	2.1	95.5	-	179000	189000	3800	4800	NU315	
75	160	37	2.1	2.1	95	-	240000	263000	3800	4800	NU315E M	
75	160	37	2.1	2.1	95.5	-	179000	189000	3800	4800	NJ315	
75	160	37	2.1	2.1	95	-	240000	263000	3800	4800	NJ315EM	
75	160	37	2.1	2.1	95.5	-	179000	189000	3800	4800	NUP315	
75	160	37	2.1	2.1	95	-	240000	263000	3800	4800	NUP315E M	
75	160	37	2.1	2.1	-	139.5	179000	189000	3800	4800	N315	
75	160	37	2.1	2.1	-	139.5	179000	189000	3800	4800	NF315	
75	160	55	2.1	2.1	95.5	-	258000	300000	3400	4300	NU2315	
75	160	55	2.1	2.1	95	-	330000	395000	3400	4300	NU2315E T	
75	160	55	2.1	2.1	95.5	-	258000	300000	3400	4300	NJ2315	
75	160	55	2.1	2.1	95	-	330000	395000	3400	4300	NJ2315E T	
75	160	55	2.1	2.1	95.5	-	258000	300000	3400	4300	NUP2315	
75	160	55	2.1	2.1	95	-	330000	395000	3400	4300	NUP2315 ET	
75	190	45	3	3	104.5	160.5	262000	274000	3400	4000	NU415	
75	190	45	3	3	104.5	160.5	262000	274000	3400	4000	NJ415	
75	190	45	3	3	104.5	160.5	262000	274000	3400	4000	N415	
75	190	45	3	3	104.5	160.5	262000	274000	3400	4000	NF415	
80	125	22	1.1	1	91.5	113.5	72500	90500	5300	6300	NU1016	
80	125	22	1.1	1	91.5	113.5	72500	90500	5300	6300	NUP1016	
80	125	22	1.1	1	91.5	113.5	72500	90500	5300	6300	N1016	
80	140	26	2	2	95.3	-	139000	167000	4500	5300	NU216E M	
80	140	26	2	2	95.3	-	139000	167000	4500	5300	NJ216EM	
80	140	26	2	2	95.3	-	139000	167000	4500	5300	NUP216E M	
80	140	26	2	2	-	125.3	106000	122000	4500	5300	N216	
80	140	26	2	2	-	125.3	106000	122000	4500	5300	NF216	
80	140	33	2	2	95.3	-	147000	186000	4000	5000	NU2216	
80	140	33	2	2	95.3	-	186000	243000	4000	5000	NU2216E T	
80	140	33	2	2	95.3	-	147000	186000	4000	5000	NJ2216	
80	140	33	2	2	95.3	-	186000	243000	4000	5000	NJ2216E T	
80	140	33	2	2	95.3	-	147000	186000	4000	5000	NUP2216	
80	140	33	2	2	95.3	-	186000	243000	4000	5000	NUP2216 ET	
80	170	39	2.1	2.1	103	148	190000	207000	3600	4300	NU316	
80	170	39	2.1	2.1	101	-	256000	282000	3600	4300	NU316E M	
80	170	39	2.1	2.1	103	148	190000	207000	3600	4300	NJ316	
80	170	39	2.1	2.1	101	-	256000	282000	3600	4300	NJ316EM	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
80	170	39	2.1	2.1	103	148	190000	207000	3600	4300	NUP316	
80	170	39	2.1	2.1	101	-	256000	282000	3600	4300	NUP316EM	
80	170	39	2.1	2.1	-	147	190000	207000	3600	4300	N316	
80	170	39	2.1	2.1	-	147	190000	207000	3600	4300	NF316	
80	170	58	2.1	2.1	103	-	274000	330000	3200	4000	NU2316	
80	170	58	2.1	2.1	101	-	355000	430000	3200	4000	NU2316ET	
80	170	58	2.1	2.1	103	-	274000	330000	3200	4000	NJ2316	
80	170	58	2.1	2.1	101	-	355000	430000	3200	4000	NJ2316ET	
80	170	58	2.1	2.1	103	-	274000	330000	3200	4000	NUP2316	
80	170	58	2.1	2.1	101	-	355000	430000	3200	4000	NUP2316ET	
80	200	48	3	3	110	170	299000	315000	3200	3800	NU416	
80	200	48	3	3	110	170	299000	315000	3200	3800	NJ416	
80	200	48	3	3	110	170	299000	315000	3200	3800	N416	
80	200	48	3	3	110	170	299000	315000	3200	3800	NF416	
85	130	22	1.1	1	96.5	118.5	74500	95500	5000	6000	NU1017	
85	130	22	1.1	1	96.5	118.5	74500	95500	5000	6000	N1017	
85	150	28	2	2	100.5	-	167000	199000	4300	5000	NU217EM	
85	150	28	2	2	100.5	-	167000	199000	4300	5000	NJ217EM	
85	150	28	2	2	100.5	-	167000	199000	4300	5000	NUP217EM	
85	150	28	2	2	-	133.8	120000	140000	4300	5000	N217	
85	150	28	2	2	-	133.8	120000	140000	4300	5000	NF217	
85	150	36	2	2	101.8	-	170000	218000	3800	4500	NU2217	
85	150	36	2	2	100.5	-	217000	279000	3800	4500	NU2217ET	
85	150	36	2	2	101.8	-	170000	218000	3800	4500	NJ2217	
85	150	36	2	2	100.5	-	217000	279000	3800	4500	NJ2217ET	
85	150	36	2	2	101.8	-	170000	218000	3800	4500	NUP2217	
85	150	36	2	2	100.5	-	217000	279000	3800	4500	NUP2217ET	
85	180	41	3	3	108	-	212000	228000	3400	4000	NU317	
85	180	41	3	3	108	-	291000	330000	3400	4000	NU317EM	
85	180	41	3	3	108	-	212000	228000	3400	4000	NJ317	
85	180	41	3	3	108	-	291000	330000	3400	4000	NJ317EM	
85	180	41	3	3	108	-	212000	228000	3400	4000	NUP317	
85	180	41	3	3	108	-	291000	330000	3400	4000	NUP317EM	
85	180	41	3	3	-	156	212000	228000	3400	4000	N317	
85	180	41	3	3	-	156	212000	228000	3400	4000	NF317	
85	180	60	3	3	108	-	315000	380000	3000	3800	NU2317	
85	180	60	3	3	108	-	395000	485000	3000	3800	NU2317ET	
85	180	60	3	3	108	-	315000	380000	3000	3800	NJ2317	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
85	180	60	3	3	108	-	395000	485000	3000	3800	NJ2317E T	
85	180	60	3	3	108	-	315000	380000	3000	3800	NUP2317	
85	180	60	3	3	108	-	395000	485000	3000	3800	NUP2317 ET	
85	210	52	4	4	113	177	335000	350000	3000	3800	NU417	
85	210	52	4	4	113	177	335000	350000	3000	3800	NJ417	
85	210	52	4	4	113	177	335000	350000	3000	3800	N417	
85	210	52	4	4	113	177	335000	350000	3000	3800	NF417	
90	140	24	1.5	1.1	103	127	88000	114000	4500	5600	NU1018	
90	140	24	1.5	1.1	103	127	88000	114000	4500	5600	NUP1018	
90	140	24	1.5	1.1	103	127	88000	114000	4500	5600	N1018	
90	160	30	2	2	107	-	182000	217000	4000	4800	NU218E M	
90	160	30	2	2	107	-	182000	217000	4000	4800	NJ218EM	
90	160	30	2	2	107	-	182000	217000	4000	4800	NUP218E M	
90	160	30	2	2	-	143	152000	178000	4000	4800	N218	
90	160	30	2	2	-	143	152000	178000	4000	4800	NF218	
90	160	40	2	2	107	-	207000	265000	3600	4300	NU2218	
90	160	40	2	2	107	-	242000	315000	3600	4300	NU2218E T	
90	160	40	2	2	107	-	207000	265000	3600	4300	NJ2218	
90	160	40	2	2	107	-	242000	315000	3600	4300	NJ2218E T	
90	160	40	2	2	107	-	207000	265000	3600	4300	NUP2218	
90	160	40	2	2	107	-	242000	315000	3600	4300	NUP2218 ET	
90	190	43	3	3	113.5	-	240000	265000	3200	3800	NU318	
90	190	43	3	3	113.5	-	315000	355000	3200	3800	NU318E M	
90	190	43	3	3	113.5	-	240000	265000	3200	3800	NJ318	
90	190	43	3	3	113.5	-	315000	355000	3200	3800	NJ318EM	
90	190	43	3	3	113.5	-	240000	265000	3200	3800	NUP318	
90	190	43	3	3	113.5	-	315000	355000	3200	3800	NUP318E M	
90	190	43	3	3	-	165	240000	265000	3200	3800	N318	
90	190	43	3	3	-	165	240000	265000	3200	3800	NF318	
90	190	64	3	3	115	-	325000	395000	2800	3600	NU2318	
90	190	64	3	3	113.5	-	435000	535000	2800	3400	NU2318E T	
90	190	64	3	3	115	-	325000	395000	2800	3600	NJ2318	
90	190	64	3	3	113.5	-	435000	535000	2800	3400	NJ2318E T	
90	190	64	3	3	115	-	325000	395000	2800	3600	NUP2318	
90	190	64	3	3	113.5	-	435000	535000	2800	3400	NUP2318 ET	
90	225	54	4	4	123.5	191.5	375000	400000	2800	3400	NU418	
90	225	54	4	4	123.5	191.5	375000	400000	2800	3400	NJ418	
90	225	54	4	4	123.5	191.5	375000	400000	2800	3400	N418	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
90	225	54	4	4	123.5	191.5	375000	400000	2800	3400	NF418	
95	145	24	1.5	1.1	108	132	90500	120000	4300	5300	NU1019	
95	145	24	1.5	1.1	108	132	90500	120000	4300	5300	NJ1019	
95	145	24	1.5	1.1	108	132	90500	120000	4300	5300	N1019	
95	170	32	2.1	2.1	112.5	-	220000	265000	3800	4500	NU219E M	
95	170	32	2.1	2.1	112.5	-	220000	265000	3800	4500	NJ219EM	
95	170	32	2.1	2.1	112.5	-	220000	265000	3800	4500	NUP219E M	
95	170	32	2.1	2.1	-	151.5	158000	183000	3800	4500	N219	
95	170	32	2.1	2.1	-	151.5	158000	183000	3800	4500	NF219	
95	170	43	2.1	2.1	113.5	-	230000	298000	3400	4000	NU2219	
95	170	43	2.1	2.1	112.5	-	273000	350000	3400	4000	NU2219E T	
95	170	43	2.1	2.1	113.5	-	230000	298000	3400	4000	NJ2219	
95	170	43	2.1	2.1	112.5	-	273000	350000	3400	4000	NJ2219E T	
95	170	43	2.1	2.1	113.5	-	230000	298000	3400	4000	NUP2219	
95	170	43	2.1	2.1	112.5	-	273000	350000	3400	4000	NUP2219 ET	
95	200	45	3	3	121.5	-	259000	289000	3000	3600	NU319	
95	200	45	3	3	121.5	-	335000	385000	3000	3600	NU319E M	
95	200	45	3	3	121.5	-	259000	289000	3000	3600	NJ319	
95	200	45	3	3	121.5	-	335000	385000	3000	3600	NJ319EM	
95	200	45	3	3	121.5	-	259000	289000	3000	3600	NUP319	
95	200	45	3	3	121.5	-	335000	385000	3000	3600	NUP319E M	
95	200	45	3	3	-	173.5	259000	289000	3000	3600	N319	
95	200	45	3	3	-	173.5	259000	289000	3000	3600	NF319	
95	200	67	3	3	121.5	-	370000	460000	2600	3400	NU2319	
95	200	67	3	3	121.5	-	460000	585000	2600	3400	NU2319E T	
95	200	67	3	3	121.5	-	370000	460000	2600	3400	NJ2319	
95	200	67	3	3	121.5	-	460000	585000	2600	3400	NJ2319E T	
95	200	67	3	3	121.5	-	370000	460000	2600	3400	NUP2319	
95	200	67	3	3	121.5	-	460000	585000	2600	3400	NUP2319 ET	
95	240	55	4	4	133.5	201.5	400000	445000	2600	3200	NU419	
95	240	55	4	4	133.5	201.5	400000	445000	2600	3200	NJ419	
95	240	55	4	4	133.5	201.5	400000	445000	2600	3200	NUP419	
95	240	55	4	4	133.5	201.5	400000	445000	2600	3200	NF419	
100	150	24	1.5	1.1	113	137	93000	126000	4300	5300	NU1020	
100	150	24	1.5	1.1	113	137	93000	126000	4300	5300	NJ1020	
100	150	24	1.5	1.1	113	137	93000	126000	4300	5300	NUP1020	
100	150	24	1.5	1.1	113	137	93000	126000	4300	5300	N1020	
100	180	34	2.1	2.1	119	-	249000	305000	3600	4300	NU220E M	
100	180	34	2.1	2.1	119	-	249000	305000	3600	4300	NJ220EM	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
100	180	34	2.1	2.1	119	-	249000	305000	3600	4300	NUP220EM	
100	180	34	2.1	2.1	-	160	183000	217000	3600	4300	N220	
100	180	34	2.1	2.1	-	160	183000	217000	3600	4300	NF220	
100	180	46	2.1	2.1	120	-	246000	315000	3200	3800	NU2220	
100	180	46	2.1	2.1	119	-	335000	445000	3200	3800	NU2220ET	
100	180	46	2.1	2.1	120	-	246000	315000	3200	3800	NJ2220	
100	180	46	2.1	2.1	119	-	335000	445000	3200	3800	NJ2220ET	
100	180	46	2.1	2.1	120	-	246000	315000	3200	3800	NUP2220	
100	180	46	2.1	2.1	119	-	335000	445000	3200	3800	NUP2220ET	
100	215	47	3	3	129.5	-	299000	335000	2800	3400	NU320	
100	215	47	3	3	127.5	-	380000	425000	2800	3400	NU320EM	
100	215	47	3	3	129.5	-	299000	335000	2800	3400	NJ320	
100	215	47	3	3	127.5	-	380000	425000	2800	3400	NJ320EM	
100	215	47	3	3	129.5	-	299000	335000	2800	3400	NUP320	
100	215	47	3	3	127.5	-	380000	425000	2800	3400	NUP320EM	
100	215	47	3	3	-	185.5	299000	335000	2800	3400	N320	
100	215	47	3	3	-	185.5	299000	335000	2800	3400	NF320	
100	215	73	3	3	129.5	-	410000	505000	2400	3200	NU2320	
100	215	73	3	3	127.5	-	570000	715000	2400	3000	NU2320ET	
100	215	73	3	3	129.5	-	410000	505000	2400	3200	NJ2320	
100	215	73	3	3	127.5	-	570000	715000	2400	3000	NJ2320ET	
100	215	73	3	3	129.5	-	410000	505000	2400	3200	NUP2320	
100	215	73	3	3	127.5	-	570000	715000	2400	3000	NUP2320ET	
100	250	58	4	4	139	211	450000	500000	2600	3000	NU420	
100	250	58	4	4	139	211	450000	500000	2600	3000	NJ420	
100	250	58	4	4	139	211	450000	500000	2600	3000	N420	
100	250	58	4	4	139	211	450000	500000	2600	3000	NF420	
105	160	26	2	1.1	119.5	145.5	109000	149000	4000	4800	NU1021	
105	160	26	2	1.1	119.5	145.5	109000	149000	4000	4800	N1021	
105	160	26	2	1.1	119.5	145.5	109000	149000	4000	4800	NF1021	
105	190	36	2.1	2.1	125	-	262000	310000	3400	4000	NU221EM	
105	190	36	2.1	2.1	125	-	262000	310000	3400	4000	NJ221EM	
105	190	36	2.1	2.1	125	-	262000	310000	3400	4000	NUP221EM	
105	190	36	2.1	2.1	-	168.8	201000	241000	3400	4000	N221	
105	190	36	2.1	2.1	-	168.8	201000	241000	3400	4000	NF221	
105	225	49	3	3	135	-	320000	360000	2600	3200	NU321	
105	225	49	3	3	133	-	425000	480000	2600	3200	NU321EM	
105	225	49	3	3	135	-	320000	360000	2600	3200	NJ321	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
105	225	49	3	3	133	-	425000	480000	2600	3200	NJ321EM	
105	225	49	3	3	135	-	320000	360000	2600	3200	NUP321	
105	225	49	3	3	133	-	425000	480000	2600	3200	NUP321EM	
105	225	49	3	3	-	195	320000	360000	2600	3200	N321	
105	225	49	3	3	-	195	320000	360000	2600	3200	NF321	
105	260	60	4	4	144.5	220.5	495000	555000	2400	3000	NU421	
105	260	60	4	4	144.5	220.5	495000	555000	2400	3000	NJ421	
105	260	60	4	4	144.5	220.5	495000	555000	2400	3000	N421	
105	260	60	4	4	144.5	220.5	495000	555000	2400	3000	NF421	
110	170	28	2	1.1	125	155	131000	174000	3800	4500	NU1022	
110	170	28	2	1.1	125	155	131000	174000	3800	4500	NJ1022	
110	170	28	2	1.1	125	155	131000	174000	3800	4500	N1022	
110	170	28	2	1.1	125	155	131000	174000	3800	4500	NF1022	
110	200	38	2.1	2.1	132.5	-	293000	365000	3200	3800	NU222EM	
110	200	38	2.1	2.1	132.5	-	293000	365000	3200	3800	NJ222EM	
110	200	38	2.1	2.1	132.5	-	293000	365000	3200	3800	NUP222EM	
110	200	38	2.1	2.1	-	178.5	229000	272000	3200	3800	N222	
110	200	38	2.1	2.1	-	178.5	229000	272000	3200	3800	NF222	
110	200	53	2.1	2.1	132.5	-	320000	415000	2800	3400	NU2222	
110	200	53	2.1	2.1	132.5	-	385000	515000	2800	3400	NU2222EM	
110	200	53	2.1	2.1	132.5	-	320000	415000	2800	3400	NJ2222	
110	200	53	2.1	2.1	132.5	-	385000	515000	2800	3400	NJ2222EM	
110	200	53	2.1	2.1	132.5	-	320000	415000	2800	3400	NUP2222	
110	200	53	2.1	2.1	132.5	-	385000	515000	2800	3400	NUP2222EM	
110	240	50	3	3	143	-	360000	400000	2600	3000	NU322	
110	240	50	3	3	143	-	450000	525000	2600	3000	NU322EM	
110	240	50	3	3	143	-	360000	400000	2600	3000	NJ322	
110	240	50	3	3	143	-	450000	525000	2600	3000	NJ322EM	
110	240	50	3	3	143	-	360000	400000	2600	3000	NUP322	
110	240	50	3	3	143	-	450000	525000	2600	3000	NUP322EM	
110	240	50	3	3	-	207	360000	400000	2600	3000	N322	
110	240	50	3	3	-	207	360000	400000	2600	3000	NF322	
110	240	80	3	3	143	-	570000	735000	2200	2800	NU2322	
110	240	80	3	3	143	-	570000	735000	2200	2800	NJ2322	
110	280	65	4	4	155	-	550000	620000	2200	2800	NU422	
110	280	65	4	4	155	-	550000	620000	2200	2800	NJ422	
120	180	28	2	1.1	135	165	139000	191000	3400	4300	NU1024	
120	180	28	2	1.1	135	165	139000	191000	3400	4300	NJ1024	
120	180	28	2	1.1	135	165	139000	191000	3400	4300	NUP1024	
120	180	28	2	1.1	135	165	139000	191000	3400	4300	N1024	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
d	D	B	r min.	r ₁ min.	F _w	E _w	C _r	C _{0r}	Grease	Oil		
120	215	40	2.1	2.1	143.5	-	335000	420000	3000	3400	NU224E M	
120	215	40	2.1	2.1	143.5	-	335000	420000	3000	3400	NJ224EM	
120	215	40	2.1	2.1	143.5	-	335000	420000	3000	3400	NUP224E M	
120	215	40	2.1	2.1	-	191.5	248000	299000	3000	3400	N224	
120	215	40	2.1	2.1	-	191.5	248000	299000	3000	3400	NF224	
120	215	58	2.1	2.1	143.5	-	350000	460000	2600	3200	NU2224	
120	215	58	2.1	2.1	143.5	-	450000	620000	2600	3200	NU2224E M	
120	215	58	2.1	2.1	143.5	-	350000	460000	2600	3200	NJ2224	
120	215	58	2.1	2.1	143.5	-	450000	620000	2600	3200	NJ2224E M	
120	215	58	2.1	2.1	143.5	-	350000	460000	2600	3200	NUP2224	
120	215	58	2.1	2.1	143.5	-	450000	620000	2600	3200	NUP2224 EM	
120	260	55	3	3	154	-	450000	510000	2200	2800	NU324	
120	260	55	3	3	154	-	530000	610000	2200	2800	NU324E M	
120	260	55	3	3	154	-	450000	510000	2200	2800	NJ324	
120	260	55	3	3	154	-	530000	610000	2200	2800	NJ324EM	
120	260	55	3	3	154	-	450000	510000	2200	2800	NUP324	
120	260	55	3	3	154	-	530000	610000	2200	2800	NUP324E M	
120	260	55	3	3	-	226	450000	510000	2200	2800	N324	
120	260	55	3	3	-	226	450000	510000	2200	2800	NF324	
120	260	86	3	3	154	-	710000	920000	2000	2600	NU2324	
120	260	86	3	3	154	-	795000	1030000	2000	2600	NU2324E M	
120	260	86	3	3	154	-	710000	920000	2000	2600	NJ2324	
120	260	86	3	3	154	-	795000	1030000	2000	2600	NJ2324E M	
120	260	86	3	3	154	-	710000	920000	2000	2600	NUP2324	
120	260	86	3	3	154	-	795000	1030000	2000	2600	NUP2324 EM	
120	310	72	5	5	170	260	675000	770000	2000	2400	NU424	
120	310	72	5	5	170	260	675000	770000	2000	2400	NJ424	
120	310	72	5	5	170	260	675000	770000	2000	2400	NUP424	
120	310	72	5	5	170	260	675000	770000	2000	2400	N424	
130	200	33	2	1.1	148	182	172000	238000	3200	3800	NU1026	
130	200	33	2	1.1	148	182	172000	238000	3200	3800	NJ1026	
130	200	33	2	1.1	148	182	172000	238000	3200	3800	N1026	
130	200	33	2	1.1	148	182	172000	238000	3200	3800	NF1026	
130	230	40	3	3	153.5	-	365000	455000	2600	3200	NU226E M	
130	230	40	3	3	153.5	-	365000	455000	2600	3200	NJ226EM	
130	230	40	3	3	153.5	-	365000	455000	2600	3200	NUP226E M	
130	230	40	3	3	-	204	258000	320000	2600	3200	N226	
130	230	40	3	3	-	204	258000	320000	2600	3200	NF226	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
d	D	B	r min.	r ₁ min.	F _w	E _w	C _r	C _{0r}	Grease	Oil		
130	230	64	3	3	156	-	380000	530000	2400	3000	NU2226	
130	230	64	3	3	153.5	-	530000	735000	2400	3000	NU2226EM	
130	230	64	3	3	156	-	380000	530000	2400	3000	NJ2226	
130	230	64	3	3	153.5	-	530000	735000	2400	3000	NJ2226EM	
130	230	64	3	3	153.5	-	530000	735000	2400	3000	NUP2226EM	
130	280	58	4	4	167	-	500000	570000	2200	2600	NU326	
130	280	58	4	4	167	-	500000	570000	2200	2600	NJ326	
130	280	58	4	4	167	-	500000	570000	2200	2600	NUP326	
130	280	58	4	4	-	243	500000	570000	2200	2600	N326	
130	280	58	4	4	-	243	500000	570000	2200	2600	NF326	
130	280	93	4	4	167	-	840000	1130000	1900	2400	NU2326	
130	280	93	4	4	167	-	840000	1130000	1900	2400	NJ2326	
130	280	93	4	4	167	-	840000	1130000	1900	2400	NUP2326	
130	340	78	5	5	185	285	825000	955000	1800	2200	NU426	
130	340	78	5	5	185	285	825000	955000	1800	2200	NJ426	
130	340	78	5	5	185	285	825000	955000	1800	2200	NF426	
140	210	33	2	1.1	158	192	176000	250000	3000	3600	NU1028	
140	210	33	2	1.1	158	192	176000	250000	3000	3600	NJ1028	
140	210	33	2	1.1	158	192	176000	250000	3000	3600	NUP1028	
140	210	33	2	1.1	158	192	176000	250000	3000	3600	N1028	
140	250	42	3	3	169	-	297000	375000	2400	3000	NU228	
140	250	42	3	3	169	-	297000	375000	2400	3000	NJ228	
140	250	42	3	3	169	-	297000	375000	2400	3000	NUP228	
140	250	42	3	3	-	221	297000	375000	2400	3000	N228	
140	250	42	3	3	-	221	297000	375000	2400	3000	NF228	
140	250	68	3	3	169	-	445000	635000	2200	2800	NU2228	
140	250	68	3	3	169	-	445000	635000	2200	2800	NJ2228	
140	250	68	3	3	169	-	445000	635000	2200	2800	NUP2228	
140	300	62	4	4	180	-	550000	640000	2000	2400	NU328	
140	300	62	4	4	180	-	550000	640000	2000	2400	NJ328	
140	300	62	4	4	180	-	550000	640000	2000	2400	NUP328	
140	300	62	4	4	-	260	550000	640000	2000	2400	N328	
140	300	62	4	4	-	260	550000	640000	2000	2400	NF328	
140	300	102	4	4	180	-	920000	1250000	1700	2200	NU2328	
140	300	102	4	4	180	-	920000	1250000	1700	2200	NJ2328	
140	360	82	5	5	198	302	875000	1020000	1700	2000	NU428	
140	360	82	5	5	198	302	875000	1020000	1700	2000	NJ428	
140	360	82	5	5	198	302	875000	1020000	1700	2000	N428	
150	225	35	2.1	1.5	169.5	205.5	202000	294000	2800	3400	NU1030	
150	225	35	2.1	1.5	169.5	205.5	202000	294000	2800	3400	NJ1030	
150	225	35	2.1	1.5	169.5	205.5	202000	294000	2800	3400	N1030	
150	225	35	2.1	1.5	169.5	205.5	202000	294000	2800	3400	NF1030	
150	270	45	3	3	182	-	345000	435000	2200	2800	NU230	
150	270	45	3	3	182	-	345000	435000	2200	2800	NJ230	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
d	D	B	r min.	r ₁ min.	F _w	E _w	C _r	C _{0r}	Grease	Oil		
150	270	45	3	3	182	-	345000	435000	2200	2800	NUP230	
150	270	45	3	3	-	238	345000	435000	2200	2800	N230	
150	270	45	3	3	-	238	345000	435000	2200	2800	NF230	
150	270	73	3	3	182	-	500000	710000	2000	2600	NU2230	
150	270	73	3	3	182	-	500000	710000	2000	2600	NJ2230	
150	320	65	4	4	193	-	590000	690000	1800	2200	NU330	
150	320	65	4	4	193	-	590000	690000	1800	2200	NJ330	
150	320	65	4	4	-	277	590000	690000	1800	2200	N330	
150	320	65	4	4	-	277	590000	690000	1800	2200	NF330	
150	320	108	4	4	193	-	1020000	1400000	1600	2000	NU2330	
150	320	108	4	4	193	-	1020000	1400000	1600	2000	NJ2330	
150	320	108	4	4	193	-	1020000	1400000	1600	2000	NUP2330	
150	380	85	5	5	213	-	930000	1120000	1600	2000	NU430	
150	380	85	5	5	213	-	930000	1120000	1600	2000	NJ430	
160	240	38	2.1	1.5	180	220	238000	340000	2600	3200	NU1032	
160	240	38	2.1	1.5	180	220	238000	340000	2600	3200	NJ1032	
160	240	38	2.1	1.5	180	220	238000	340000	2600	3200	N1032	
160	240	38	2.1	1.5	180	220	238000	340000	2600	3200	NF1032	
160	290	48	3	3	195	-	430000	570000	2200	2600	NU232	
160	290	48	3	3	195	-	430000	570000	2200	2600	NJ232	
160	290	48	3	3	195	-	430000	570000	2200	2600	NUP232	
160	290	48	3	3	-	255	430000	570000	2200	2600	N232	
160	290	48	3	3	-	255	430000	570000	2200	2600	NF232	
160	290	80	3	3	195	-	630000	940000	1900	2400	NU2232	
160	290	80	3	3	195	-	630000	940000	1900	2400	NJ2232	
160	290	80	3	3	195	-	630000	940000	1900	2400	NUP2232	
160	340	68	4	4	208	-	700000	875000	1700	2000	NU332	
160	340	68	4	4	208	-	700000	875000	1700	2000	NJ332	
160	340	68	4	4	208	-	700000	875000	1700	2000	NUP332	
160	340	68	4	4	-	292	700000	875000	1700	2000	N332	
160	340	114	4	4	208	-	1070000	1520000	1500	1900	NU2332	
160	340	114	4	4	208	-	1070000	1520000	1500	1900	NJ2332	
160	340	114	4	4	208	-	1070000	1520000	1500	1900	NUP2332	
170	260	42	2.1	2.1	193	237	287000	415000	2400	2800	NU1034	
170	260	42	2.1	2.1	193	237	287000	415000	2400	2800	NJ1034	
170	260	42	2.1	2.1	193	237	287000	415000	2400	2800	N1034	
170	310	52	4	4	208	-	475000	635000	2000	2400	NU234	
170	310	52	4	4	208	-	475000	635000	2000	2400	NJ234	
170	310	52	4	4	208	-	475000	635000	2000	2400	NUP234	
170	310	52	4	4	-	272	475000	635000	2000	2400	N234	
170	310	52	4	4	-	272	475000	635000	2000	2400	NF234	
170	310	86	4	4	208	-	715000	1080000	1800	2200	NU2234	
170	310	86	4	4	208	-	715000	1080000	1800	2200	NUP2234	
170	360	72	4	4	220	-	795000	1010000	1600	2000	NU334	
170	360	72	4	4	220	-	795000	1010000	1600	2000	NJ334	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
d	D	B	r min.	r ₁ min.	F _w	E _w	C _r	C _{0r}	Grease	Oil		
170	360	72	4	4	-	310	795000	1010000	1600	2000	N334	
170	360	120	4	4	220	-	1220000	1750000	1400	1800	NU2334	
170	360	120	4	4	220	-	1220000	1750000	1400	1800	NJ2334	
170	360	120	4	4	220	-	1220000	1750000	1400	1800	NUP2334	
180	280	46	2.1	2.1	205	255	355000	510000	2200	2600	NU1036	
180	280	46	2.1	2.1	205	255	355000	510000	2200	2600	NJ1036	
180	280	46	2.1	2.1	205	255	355000	510000	2200	2600	N1036	
180	280	46	2.1	2.1	205	255	355000	510000	2200	2600	NF1036	
180	320	52	4	4	218	-	495000	675000	1900	2200	NU236	
180	320	52	4	4	218	-	495000	675000	1900	2200	NJ236	
180	320	52	4	4	218	-	495000	675000	1900	2200	NUP236	
180	320	52	4	4	-	282	495000	675000	1900	2200	N236	
180	320	52	4	4	-	282	495000	675000	1900	2200	NF236	
180	320	86	4	4	218	-	745000	1140000	1700	2000	NU2236	
180	320	86	4	4	218	-	745000	1140000	1700	2000	NJ2236	
180	320	86	4	4	218	-	745000	1140000	1700	2000	NUP2236	
180	380	75	4	4	232	-	905000	1150000	1500	1800	NU336	
180	380	75	4	4	232	-	905000	1150000	1500	1800	NJ336	
180	380	75	4	4	-	328	905000	1150000	1500	1800	N336	
180	380	75	4	4	-	328	905000	1150000	1500	1800	NF336	
180	380	126	4	4	232	-	1380000	1990000	1300	1700	NU2336	
180	380	126	4	4	232	-	1380000	1990000	1300	1700	NJ2336	
190	290	46	2.1	2.1	215	265	365000	535000	2000	2600	NU1038	
190	290	46	2.1	2.1	215	265	365000	535000	2000	2600	NJ1038	
190	290	46	2.1	2.1	215	265	365000	535000	2000	2600	N1038	
190	340	55	4	4	231	-	555000	770000	1800	2200	NU238	
190	340	55	4	4	231	-	555000	770000	1800	2200	NJ238	
190	340	55	4	4	231	-	555000	770000	1800	2200	NUP238	
190	340	55	4	4	-	299	555000	770000	1800	2200	N238	
190	340	55	4	4	-	299	555000	770000	1800	2200	NF238	
190	340	92	4	4	231	-	830000	1290000	1600	2000	NU2238	
190	400	78	5	5	245	-	975000	1260000	1400	1700	NU338	
190	400	78	5	5	245	-	975000	1260000	1400	1700	NJ338	
190	400	78	5	5	245	-	975000	1260000	1400	1700	NUP338	
190	400	78	5	5	-	345	975000	1260000	1400	1700	N338	
190	400	132	5	5	245	-	1520000	2220000	1300	1600	NU2338	
190	400	132	5	5	245	-	1520000	2220000	1300	1600	NJ2338	
200	310	51	2.1	2.1	229	281	390000	580000	2000	2400	NU1040	
200	310	51	2.1	2.1	229	281	390000	580000	2000	2400	NJ1040	
200	310	51	2.1	2.1	229	281	390000	580000	2000	2400	N1040	
200	310	51	2.1	2.1	229	281	390000	580000	2000	2400	NF1040	
200	360	58	4	4	244	-	620000	865000	1700	2000	NU240	
200	360	58	4	4	244	-	620000	865000	1700	2000	NJ240	
200	360	58	4	4	-	316	620000	865000	1700	2000	N240	
200	360	58	4	4	-	316	620000	865000	1700	2000	NF240	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
d	D	B	r min.	r ₁ min.	F _w	E _w	C _r	C _{0r}	Grease	Oil		
200	360	98	4	4	244	-	925000	1440000	1500	1800	NU2240	
200	360	98	4	4	244	-	925000	1440000	1500	1800	NJ2240	
200	360	98	4	4	244	-	925000	1440000	1500	1800	NUP2240	
200	420	80	5	5	260	-	975000	1270000	1300	1600	NU340	
200	420	80	5	5	260	-	975000	1270000	1300	1600	NJ340	
200	420	80	5	5	-	360	975000	1270000	1300	1600	N340	
200	420	80	5	5	-	360	975000	1270000	1300	1600	NF340	
200	420	138	5	5	260	-	1510000	2240000	1200	1500	NU2340	
220	340	56	3	3	250	310	500000	750000	1800	2200	NU1044	
220	340	56	3	3	250	310	500000	750000	1800	2200	NJ1044	
220	340	56	3	3	250	310	500000	750000	1800	2200	N1044	
220	400	65	4	4	270	-	760000	1080000	1500	1800	NU244	
220	400	65	4	4	270	-	760000	1080000	1500	1800	NJ244	
220	400	65	4	4	270	-	760000	1080000	1500	1800	NUP244	
220	400	65	4	4	-	350	760000	1080000	1500	1800	N244	
220	400	65	4	4	-	350	760000	1080000	1500	1800	NF244	
220	400	108	4	4	270	-	1140000	1810000	1300	1600	NU2244	
220	460	88	5	5	284	-	1190000	1570000	1200	1500	NU344	
220	460	88	5	5	284	-	1190000	1570000	1200	1500	NJ344	
220	460	88	5	5	-	396	1190000	1570000	1200	1500	N344	
240	360	56	3	3	270	330	530000	820000	1600	2000	NU1048	
240	360	56	3	3	270	330	530000	820000	1600	2000	NJ1048	
240	360	56	3	3	270	330	530000	820000	1600	2000	N1048	
240	440	72	4	4	295	-	935000	1340000	1300	1600	NU248	
240	440	72	4	4	295	-	935000	1340000	1300	1600	NJ248	
240	440	72	4	4	295	-	935000	1340000	1300	1600	NUP248	
240	440	72	4	4	-	385	935000	1340000	1300	1600	N248	
240	440	72	4	4	-	385	935000	1340000	1300	1600	NF248	
240	440	120	4	4	295	-	1440000	2320000	1200	1500	NU2248	
240	500	95	5	5	310	-	1360000	1820000	1100	1300	NU348	
240	500	95	5	5	310	-	1360000	1820000	1100	1300	NJ348	
240	500	95	5	5	-	430	1360000	1820000	1100	1300	N348	
260	400	65	4	4	296	364	645000	1000000	1500	1800	NU1052	
260	400	65	4	4	296	364	645000	1000000	1500	1800	NJ1052	
260	400	65	4	4	296	364	645000	1000000	1500	1800	N1052	
260	400	65	4	4	296	364	645000	1000000	1500	1800	NF1052	
260	480	80	5	5	320	-	1100000	1580000	1200	1500	NU252	
260	480	80	5	5	320	-	1100000	1580000	1200	1500	NJ252	
260	480	80	5	5	-	420	1100000	1580000	1200	1500	N252	
260	480	130	5	5	320	-	1710000	2770000	1100	1300	NU2252	
260	480	130	5	5	320	-	1710000	2770000	1100	1300	NUP2252	
260	540	102	6	6	336	-	1540000	2090000	1000	1200	NU352	
260	540	102	6	6	336	-	1540000	2090000	1000	1200	NJ352	
280	420	65	4	4	316	384	660000	1050000	1400	1700	NU1056	
280	420	65	4	4	316	384	660000	1050000	1400	1700	NJ1056	

Boundary Dimensions (mm)							Basic Load Ratings (N)		Limiting Speeds (min ⁻¹)		Bearing Numbers	NSKHPS
<i>d</i>	<i>D</i>	<i>B</i>	<i>r</i> min.	<i>r</i> ₁ min.	<i>F</i> _w	<i>E</i> _w	<i>C</i> _r	<i>C</i> _{0r}	Grease	Oil		
280	420	65	4	4	316	384	660000	1050000	1400	1700	NUP1056	
280	420	65	4	4	316	384	660000	1050000	1400	1700	N1056	
280	420	65	4	4	316	384	660000	1050000	1400	1700	NF1056	
280	500	80	5	5	340	-	1140000	1680000	1100	1400	NU256	
280	500	80	5	5	340	-	1140000	1680000	1100	1400	NJ256	
280	500	80	5	5	-	440	1140000	1680000	1100	1400	N256	
280	500	80	5	5	-	440	1140000	1680000	1100	1400	NF256	
300	460	74	4	4	340	420	885000	1400000	1300	1500	NU1060	
300	460	74	4	4	340	420	885000	1400000	1300	1500	NJ1060	
300	460	74	4	4	340	420	885000	1400000	1300	1500	N1060	
300	460	74	4	4	340	420	885000	1400000	1300	1500	NF1060	
300	540	85	5	5	364	-	1400000	2070000	1100	1300	NU260	
300	540	85	5	5	364	-	1400000	2070000	1100	1300	NJ260	
320	480	74	4	4	360	440	905000	1470000	1200	1400	NU1064	
320	480	74	4	4	360	440	905000	1470000	1200	1400	N1064	
320	480	74	4	4	360	440	905000	1470000	1200	1400	NF1064	
320	580	92	5	5	390	-	1540000	2270000	950	1200	NU264	
320	580	92	5	5	390	-	1540000	2270000	950	1200	NJ264	
320	580	92	5	5	-	510	1540000	2270000	950	1200	N264	
340	520	82	5	5	385	475	1080000	1740000	1100	1300	NU1068	
340	520	82	5	5	385	475	1080000	1740000	1100	1300	NJ1068	
340	520	82	5	5	385	475	1080000	1740000	1100	1300	N1068	
340	520	82	5	5	385	475	1080000	1740000	1100	1300	NF1068	
360	540	82	5	5	405	495	1110000	1830000	1000	1300	NU1072	
360	540	82	5	5	405	495	1110000	1830000	1000	1300	N1072	
360	540	82	5	5	405	495	1110000	1830000	1000	1300	NF1072	
380	560	82	5	5	425	-	1140000	1910000	1000	1200	NU1076	
400	600	90	5	5	450	550	1360000	2280000	900	1100	NU1080	
400	600	90	5	5	450	550	1360000	2280000	900	1100	NUP1080	
400	600	90	5	5	450	550	1360000	2280000	900	1100	N1080	
420	620	90	5	5	470	570	1390000	2380000	850	1100	NU1084	
420	620	90	5	5	470	570	1390000	2380000	850	1100	N1084	
440	650	94	6	6	493	-	1470000	2530000	800	1000	NU1088	
460	680	100	6	6	516	624	1580000	2740000	750	950	NU1092	
460	680	100	6	6	516	624	1580000	2740000	750	950	NUP1092	
460	680	100	6	6	516	624	1580000	2740000	750	950	N1092	
480	700	100	6	6	536	644	1620000	2860000	750	900	NU1096	
480	700	100	6	6	536	644	1620000	2860000	750	900	NJ1096	
480	700	100	6	6	536	644	1620000	2860000	750	900	N1096	
500	720	100	6	6	556	664	1660000	2970000	710	850	NU10/500	
500	720	100	6	6	556	664	1660000	2970000	710	850	N10/500	